

# SATWipes® C1 Wipes saturated with 100% Acetone

## Saturated C1 nonwoven wipes in center-pull dispenser

### Description

The SATWipes C1 with 100% Acetone consists of a roll of (100) 6" x 9" saturated wipes which are dispensed through a convenient center-pull canister that eliminated the need for solvent bottles. The wipers consist of a nonwoven polyester/cellulose fabric that is hydraulically entangled creating a soft, durable, and clean wipe that allows for consistent solvent application and use. Reduces solvent handling and up to 35% in solvent use all while increasing safety. Refill rolls are available so the dispenser canister may be re-used.

#### Technical Data

Wipe material		55% polyester / 45% cellulose				
Wipe construction		Hydro-entangled nonwoven				
Solution of saturation; (tratio and constituents)	olend	100% Acet	one			
Attribute; (units)		Value **	Test Method			
Basis weight; (g/m²)		66				
Non-volatile residue, NV	/R		IEST-RP-CC004.2, Sec. 6.1.2			
In deionized water; ( In isopropanol; (		0.056 0.015				
Specific ions			IEST-RP-CC004.2, Sec. 6.2.2			
Sodium; ( Chloride; ( Silicone; (	(ppm)	11.2 7.8 ND				
Particles, readily release	able		IEST-RP-CC004.2, Sec. 5.1			
P ≥ 0.3μm; (x10 P ≥ 0.5μm; (x10	,	N/A 20.0				
Fibers > $100\mu m$ ; (x10 <sup>3</sup> /n	n²)	23	IEST-RP-CC004.2, Sec. 5.2			

<sup>\*\*</sup> ND = None detected; levels are below detection limit of test equipment

Part Number	Description	EA/RL	RL/PCH	PCH/CS	EA/CS
SWC10191	SATWipes C1 wipes, 100% Acetone, 6" x 9" (15 x 23cm), no canister	100	1	18	1800

Key: EA = Each, RL = Roll, PCH = Pouch, CS = Case

#### Notes:

- 1) The information presented here is applicable to the part numbers shown above as well as to any product containing the same materials and produced under the same conditions, regardless of product size or packaging configuration. Please contact a Contec sales representative for more details.
- 2) Data shown are typical values and should not be used as product specifications.
- 3) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- 4) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Revision date: 04/20/17



+33 297 437 690